



His Cabled Pullover

WR2063



Designed by Melissa Leapman.

Directions are for size **Small**; changes for sizes **Medium, Large and XLarge** are in parentheses.

Finished Bust: 43½ (48, 53, 57½)"
Length: 25 (25½, 26, 27)"

RED HEART® "Soft Yarn": 1 ball 9522 Leaf **A** and 9 (10, 11 11) balls 9523 Dark Leaf **B**.

Knitting Needles: 3.75 mm [US 5] and 4.5 mm [US 7].
Cable needle, yarn needle.

Note: For Her Cabled Pullover, see pattern WR2064 at www.redheart.com

GAUGE: 27 sts = 4"; 24 rows = 4" in Cable Pattern with larger needles. **CHECK YOUR GAUGE. Use any size needles to obtain the gauge.**

K1 p1 Rib Pattern (multiple of 2 sts)

Row 1 (right side): * K1, p1; repeat from *.
Repeat Row 1 for K1, p1 rib.

Cable Pattern

See Chart.

SWEATER

Back

With smaller needles and **A**, cast on 146 (162, 178, 194) sts. Change to **B**, and work in K1 p1 rib until piece measures 2½" from beginning, ending with a wrong side row.

Change to larger needles, begin Cable Pattern, and work even until piece measures 14½ (14½, 14½, 15)" from beginning, ending with a wrong side row.

Shape Armholes

Bind off 16 (24, 32, 32) sts at beginning of next two rows—114 (114, 114, 130) sts.

Work even until piece measures 24 (24½, 25, 26)" from beginning, ending with a wrong side row.

Shape Shoulders

Bind off 10 (10, 10, 12) sts at beginning of next four rows. Bind off 10 (10, 10, 14) sts at beginning of next two rows. Bind off remaining 54 sts for back of neck.

Front

Work same as for Back until piece measures 22 (22½, 23, 24)" from beginning, ending with a wrong side row.

Shape Neck

Next Row (right side): Work across first 46 (46, 46, 54) sts; join a second ball of yarn and bind off center 22 sts, continue pattern as established to end row.

Working both sides at once with separate balls of yarn, bind off 4 sts each neck edge twice, then bind off 2 sts each neck edge twice—34 (34, 34, 42) sts each side.

Dec 1 st each neck edge every row four times—30 (30, 30, 38) sts each side.





Work even until piece measures same as Back to shoulders, ending with a wrong side row.

Shape Shoulders

Same as for Back.

Sleeves (make 2)

With smaller needles and **A**, cast on 66 sts. Change to **B**, and work in K1 p1 rib until piece measures 2½" from beginning, ending with a wrong side row.

Change to larger needles, begin Cable Pattern, and inc 1 st each side every other row 8 (17, 24, 32) times, then every fourth row 23 (18, 14, 9) times—128 (136, 142, 148) sts.

Work even until piece measures 24 (24½, 25½, 25)" from beginning, ending with a wrong side row. Bind off.

FINISHING



Sew left shoulder seam.

Neckband

With right side facing, smaller needles, and **B**, pick up and knit 96 sts around neckline. Work K1 p1 rib until band measures 1". Change to **A**, work one more row in rib, then bind off loosely in rib.


Sew right shoulder seam, including side of neckband.

Set in sleeves. Sew sleeve and side seams.



RED HEART® "Soft Yarn" Art. E728 available in solid 5 oz (140 g), 256 yd (234 m); print 4 oz (113 g), 204 yd (187 m) balls.

ABBREVIATIONS: **A, B** = color A, B; **dec** = decrease; **K** = knit; **mm** = millimeters; **inc** = increase; **P** = purl; **st(s)** = stitch(es).



Stitch Key

- knit on right side, purl on wrong side
- purl on right side, knit on wrong side
- 2/2 LC** Slip 2 sts to cn, hold to front, k2, k2 from cn
- 2/2 RC** Slip 2 sts to cn, hold to back, k2, k2 from cn
- 2/1 RPC** Slip 1 st to cn, hold to back, k2; p1 from cn
- 2/1 LPC** Slip 2 sts to cn, hold to front, p1; k2 from cn



©2010 Coats & Clark
P.O. Box 12229
Greenville, SC 29612-0229

For more ideas & inspiration —

www.redheart.com

www.coatsandclark.com

www.crochettoday.com